*Carbohydrate Research*, 240 (1993) C23–C25
Elsevier Science Publishers B.V., Amsterdam



# CONTENTS

The structure of an antigenic glycolipid (SL-IV) from *Mycobacterium tuberculosis*
H.H. Baer (Ottawa, ON, Canada) ..... 1

Synthesis and spectroscopic characterization of hydroxycinnamoylated methyl α-L-arabinofuranosyl-(1 → 2)- and (1 → 3)-β-D-xylopyranosides
R.F. Helm and J. Ralph (Madison, WI, USA) ..... 23

The crystal and molecular structure of the trisaccharide erlose as the monohydrate
T. Taga, E. Inagaki, Y. Fujimori (Kyoto, Japan) and S. Nakamura (Okayama, Japan) ..... 39

The X-ray crystal structure of *N*-(1-octyl)-D-talonamide and a consideration of its hydrogen-bonding scheme
C. André, P. Luger, S. Svenson and J.-H. Fuhrhop (Berlin, Germany) ..... 47

The application of NMR–pattern-recognition methods to the classification of reduced, peracetylated oligosaccharide residues
W.J. Goux and D.S. Weber (Richardson, TX, USA) ..... 57

Structural characterization and rheological properties of an extracellular glucuronan produced by a *Rhizobium meliloti* M5N1 mutant strain
A. Heyraud (Grenoble, France), J. Courtois (Amiens, France), L. Dantas, P. Colin-Morel (Grenoble, France) and B. Courtois (Amiens, France) ..... 71

Contribution of the *O*-benzoyl groups of tetra-*O*-benzoyl-α,β-L-arabinopyranoses to the formation of 1,1-bis(benzamido)-1-deoxy-L-arabinitol
S.R. Leicach, R.A. Cadenas and J.F. Sproviero (Buenos Aires, Argentina) ..... 79

Fluorinated carbohydrates as potential plasma membrane modifiers. Synthesis of 3-deoxy-3-fluoro derivatives of 2-acetamido-2-deoxy-D-hexopyranoses
M. Sharma, R.J. Bernacki, M.J. Hillman and W. Korytnyk (Buffalo, NY, USA) ..... 85

The preparation and susceptibility to hydrolysis of novel *O*-galacturonoyl derivatives of carbohydrates
J.A. Brown and S.C. Fry (Edinburgh, United Kingdom) ..... 95

Synthesis, conformational analysis, and the glycosidic coupling reaction of substituted 2,7-dioxabicyclo[4.1.0]heptanes: 1,2-anhydro-3,4-di-*O*-benzyl-β-L- and β-D-rhamnopyranoses
Q. Chen, F. Kong and L. Cao (Beijing, People's Republic of China) ..... 107

Syntheses and insulin-like activity of phosphorylated galactose derivatives
H.-N. Caro, M. Martín-Lomas and M. Bernabé (Madrid, Spain) ..... 119

Bile alcohol glucuronides: regioselective *O*-glucuronidation of 5β-cholestane-3α,7α,12α,25-tetrol and 24-nor-5β-cholestane-3α,7α,12α,25-tetrol
B. Dayal, G. Salen, J. Padia, S. Shefer, G.S. Tint (Newark, NJ, USA), G. Sasso and T.H. Williams (Nutley, NJ, USA) ..... 133

Synthesis of 4-*O*- and 6-*O*-monoacryloyl derivatives of sucrose by selective hydrolysis of 4,6-*O*-(1-ethoxy-2-propenylidene)sucrose. Polymerization and copolymerization with styrene
E. Fanton, C. Fayet, J. Gelas (Aubière, France), A. Deffieux, M. Fontanille and D. Jhurry (Talence, France) ..... 143

Biosynthesis of curdlan from culture media containing $^{13}C$-labeled glucose as the carbon source
A. Kai, T. Ishino, T. Arashida (Tokyo, Japan), K. Hatanaka, T. Akaike (Yokohama, Japan), K. Matsuzaki (Ueda, Japan), Y. Kaneko and T. Mimura (Tokyo, Japan) ..... 153

The synthesis of chemically modified disaccharide derivatives of the *Shigella flexneri* Y polysaccharide antigen
F.-I. Auzanneau, H.R. Hanna and D.R. Bundle (Ottawa, ON, Canada) ..... 161

A novel fructoglucan from the thermal polymerization of sucrose
M. Manley-Harris and G.N. Richards (Missoula, MT, USA) ..... 183

Anomerization and transglycosylation reactions of permethylated methyl D-glycopyranosides
C.K. Lee, E.J. Kim and I.-S.H. Lee (Chuncheon, Korea) ..... 197

Studies on the cell-wall mannan of the siphonous green algae, *Codium latum*
S. Kaihou, T. Hayashi, O. Otsuru and M. Maeda (Saitama, Japan) ..... 207

Phase diagrams of pectin–calcium systems: Influence of pH, ionic strength, and temperature on the gelation of pectins with different degrees of methylation
C. Garnier, M.A.V. Axelos and J.-F. Thibault (Nantes, France) ..... 219

Isolation and characterisation of the two main cell-wall types from guava (*Psidium guajava* L.) pulp
O. Marcelin, P. Williams and J.-M. Brillouet (Montpellier, France) ..... 233

Studies on the regioselectivity of cellulose sulfation in an $N_2O_4$–*N*,*N*-dimethylformamide–cellulose system
W. Wagenknecht, I. Nehls and B. Philipp (Teltow-Seehof, Germany) ..... 245

Branching of amylose by the branching isoenzymes of maize endosperm
Y. Takeda, H.-P. Guan and J. Preiss (East Lansing, MI, USA) ..... 253

Structures of B90 (*sugary*) and W64A (normal) maize starches
Y. Takeda and J. Preiss (East Lansing, MI, USA) ..... 265

Characterization of the *O*-polysaccharide of *Pasteurella haemolytica* serotype A1
W.B. Severn and J.C. Richards (Ottawa, ON, Canada) ..... 277

*Notes*

Standardized intermediates for oligosaccharide synthesis. A convenient preparation of partially protected derivatives of allyl *O*-β-D-galactopyranosyl-(1 → 4)-β-D-glucopyranoside suitable for chain extension at position O-4′
R.H. Youssef, B.A. Silwanis, R.I. El-Sokkary (Alexandria, Egypt), A.S. Nematalla and M.A. Nashed (Alameda, CA, USA) ..... 287

Synthesis and conformation of 1,2-anhydro-3,4-6-tri-*O*-benzyl-β-D-talopyranose
J. Liu, F. Kong and L. Cao (Beijing, People's Republic of China) ..... 295

Preparation of 2-amino-2-deoxy-3,4,5,6-tetra-*O*-methyl-D-gluconic acid hydrochloride, an intermediate in the preparation of polypeptide-type polyamides
M. de Gracia García Martín, M.V. de Paz Báñez and J.A. Galbis Pérez (Sevilla, Spain) . 301

Synthesis of low-toxicity, 5-deoxy-5-fluoro and 5-deoxy-5,5-difluoro derivatives of arbekacin and its analogs, and study of structure–toxicity relationships
T. Tsuchiya, T. Shitara, S. Umezawa (Kawasaki, Japan), T. Takeuchi, M. Hamada (Tokyo, Japan), N. Tomono and E. Umemura (Yokohama, Japan) . . . . . 307

Synthesis of cyclophosphamide analogs from aminotrideoxy sugars
C. Monneret, R. Gagnet and J.-C. Florent (Paris, France) . . . . . 313

*Author index* . . . . . C1

*Subject index* . . . . . C3

*Cumulative Author index (Vols. 221–240)* . . . . . C7

*Contents* . . . . . C23